Product Information

Product Name: STRATUS CLASSIC

Imprint Type: ColorJet

Item: PCS-C

Imprint: 1.5" x .236"

Imprint Color: Full Color

TO ACCURATELY REVIEW THE IMPRINT SIZE, PLEASE PRINT AND/OR VIEW THIS PDF AT 100%.

We strongly encourage vector artwork or high resolution images with a minimum of 300dpi/150lpi in the following formats: TIF, PNG, EPS, PDF, AI, PS. Text smaller than 7 point may fill and be illegible. Halftones or grayscale will not be accepted for items requiring silkscreen, pad print or laser engraving. Files containing text must include fonts or text converted to paths. Artwork must be sized to approximate imprint area for best results. Electronic proofs may vary based on computer settings and may affect color, quality and distortion based on what is shown here.

QuikPrint
we're on it.

TO ACCURATELY REVIEW THE IMPRINT SIZE, PLEASE PRINT AND/OR VIEW THIS PDF AT 100%.

We strongly encourage vector artwork or high resolution images with a minimum of 300dpi/150lpi in the following formats: TIF, PNG, EPS, PDF, AI, PS. Text smaller than 7 point may fill and be illegible. Halftones or grayscale will not be accepted for items requiring silkscreen, pad print or laser engraving. Files containing text must include fonts or text converted to paths. Artwork must be sized to approximate imprint area for best results. Electronic proofs may vary based on computer settings and may affect color, quality and distortion based on what is shown here.

QuikPrint
we're on it.

TO ACCURATELY REVIEW THE IMPRINT SIZE, PLEASE PRINT AND/OR VIEW THIS PDF AT 100%.

We strongly encourage vector artwork or high resolution images with a minimum of 300dpi/150lpi in the following formats: TIF, PNG, EPS, PDF, AI, PS. Text smaller than 7 point may fill and be illegible. Halftones or grayscale will not be accepted for items requiring silkscreen, pad print or laser engraving. Files containing text must include fonts or text converted to paths. Artwork must be sized to approximate imprint area for best results. Electronic proofs may vary based on computer settings and may affect color, quality and distortion based on what is shown here.

QuikPrint
we're on it.

TO ACCURATELY REVIEW THE IMPRINT SIZE, PLEASE PRINT AND/OR VIEW THIS PDF AT 100%.

We strongly encourage vector artwork or high resolution images with a minimum of 300dpi/150lpi in the following formats: TIF, PNG, EPS, PDF, AI, PS. Text smaller than 7 point may fill and be illegible. Halftones or grayscale will not be accepted for items requiring silkscreen, pad print or laser engraving. Files containing text must include fonts or text converted to paths. Artwork must be sized to approximate imprint area for best results. Electronic proofs may vary based on computer settings and may affect color, quality and distortion based on what is shown here.

QuikPrint
we're on it.